

Shoulder-tie

SUN DRESS

Sew a simple shoulder tie dress and head for the sunshine

Project JULIA CLARIDGE www.bobbinsnbuttons.co.uk



ABOUT BOBBINS & BUTTONS

Bobbins & Buttons is a hub of sewing based in the East Midlands, offering own-brand patterns, fabric and workshops. Julia designs a range of sewing patterns for all the family. Styles are versatile, adaptable and easy to make. A collection of fabric that suits the sewing patterns is available. Julia offers sewing classes that are flexible to your skill level and geared towards what you would like to learn.

For more information visit Julia's website www.bobbinsnbuttons.co.uk



MATERIALS & TOOLS:

- Sizes 8-12 2.30x1.12m wide
- Sizes 14-20 2.90x 1.12m wide
- 25mm elastic
- Pattern downloaded from www.craftworld.com/cms/ love-sewing

NOTES:

1.5cm seam allowance unless stated otherwise

CUTTING

Main fabric:


- Cut 4 straps
- Cut 1 x pair front yokes
- Cut 1 x front skirt on fold
- Cut 1 x pair of backs
- Cut 1 x back neck facing on fold



1 Take each strap piece, fold RST and stitch along one short edge and down the long edge, leaving the remaining short edge unstitched for turning through. Trim the seams and corners using a loop turner or another method, turn each strap through to the right side and press. (See pics A & B.)
2 With RST pin and stitch


the centre back seam, neaten












- 3 Place one strap RST and raw edges matched at each strap position on the front yoke. Machine tack to hold in place. (See Pic D.)
- 4 With RST, place the remaining front yoke piece over the front yoke with the straps attached. Stitch along the upper edge only, sandwiching the straps between the two. (See Pic E.)
- **5** Place the other two remaining straps RST and raw edges matched at each strap position at the upper back edge. (See Pic F.)
- (5) Turn and press a 1cm turning along one long edge of the back neck facing. With RST, pin the un-turned edge of the facing to the upper edge of the back, sandwiching the straps between the two. Stitch. (See Pic G.)
- 7 Turn the facing to the inside, press and stitch close to the lower edge. Cut a piece of elastic, thread it onto a safety pin, guide it through the elastic channel and machine each end to prevent











GARMENT MEASUREMENTS IN CMS

	8	10	12	14	16	18	20
Bust	88cm	93cm	98cm	103cm	108cm	113cm	118cm
Centre front length	106cm	106cm	106cm	106cm	106cm	106cm	106cm
Elastic cut length	34.5cm	37cm	39.5cm	42cm	44.5cm	47cm	49.5cm


















the elastic from receding into the channel. (See Pic H.)


- (3) Stitch two rows of gathered stitches on the upper edge of the front skirt panel. With centres matched and RST, pin the lower edge of one side of the front yoke to the upper edge of the front gathering to fit. Stitch. (See pics | & J.)
- Under stitch the upper edge of the front yoke. (See Pic K.)
- (i) With RST, pin the front and back together at the side seam, the back placed in line with the upper seam line of the front yoke (the internal


- yoke will be free). Stitch. (See Pic L.)
- ① Neaten the lower edge of the internal front yoke, fold the front yoke RST so it encases the side seam, and stitch in line with the side seam. Neaten raw edges. The seam will naturally fold towards the front. Press. (See Pic M.)
- 2 Turn to the right side and pin along the edge of the front yoke, holding the internal yoke in place. Stitch in the ditch. Turn and press a double turned hem at the lower edge to finish. (See Pic N.)





Tie shoulder dress




























|--|--|--|--|--|--|--|--|--|











15	7
NE FOR FRONT	ıı.
	K

