

## #UP1023


### Slash neck dress

Looking for the perfect outfit tonight? Elevate your style with this sleek dress featuring a slash neck, a sleeveless bodice, shirring at the waist, and a chic knee length. Designed for stretch knits, this body-hugging silhouette will make you feel comfortable and confident. Create it in no time and get ready to make an impact!

**1 cm seam allowance included!**

#### Material

- 140 x 150 cm 4-way stretch jersey with spandex
- All-purpose thread
- Stretch needle
- Twin stretch needle
- 35 cm clear elastic (0.5 cm wide)



#### Print & Assemble

- First, be sure to use ACROBAT READER to open your PDF sewing patterns. It's free!
- Then, open your file and click on the LAYERS icon (left side of the screen) and uncheck all the sizes you won't need.
- Now, click on the PRINT icon at the top of the screen. The print settings will appear, so verify that the ACTUAL SIZE option is checked. Click on the PRINT button!
- A 5 x 5 cm (and 2 x 2") control square is provided to ensure that your pattern is true to size.
- To ASSEMBLE, cut the sheets at the bottom and right margins, as indicated. Each sheet is labelled with a letter and a number (A1, B2...), so tape them together in numerical and alphabetical order. The sheets on one row should have the same letter, and the ones on the same column should have the same number.

#### Sizing Guide

	XXS	XS	S	M	L	XL	XXL
<b>Bust</b>	85 cm	89 cm	93 cm	99 cm	105 cm	113 cm	121 cm
<b>Waist</b>	64 cm	68 cm	72 cm	78 cm	84 cm	92 cm	100 cm
<b>Hips</b>	92 cm	96 cm	100 cm	106 cm	112 cm	120 cm	128 cm

#### Garment measurements

- **Length:** approx. 96 cm

This pattern is drafted according to a standard height of **1.64 m**.

## #UP1023

## Slash neck dress

---

### Pattern Pieces

- Back neckband, 1x fabric
- Back, 1x fabric
- Front, 1x fabric
- Elastic length, 2x clear elastic
- Armhole bands, 2x fabric

### Sewing Assembly

Unless otherwise specified, sew using a **1 cm** wide seam allowance.

1. Fold the back neckband lengthwise and sew it to the back neckline (stretch to fit).
2. Place the front and back right sides together and fold the front neck hem (turn once 4 cm) over the back.
3. Sew the shoulders and unfold the neck hem.
4. Sew the side seams.
5. Apply the clear elastic on the seam allowances, between the markings (stretch to fit).
6. Sew each armhole band at the short sides. Fold lengthwise and sew to the armholes (stretch to fit).
7. Hem the bottom of the dress with a twin needle (turn once 3 cm).



Share a photo of you  
wearing proudly  
your handmade dress  
with



**#unfetteredpatterns!**



nce 3 cm

Cut on this line

Cut on this line



Hem allowed


cm



Cut on this line

Cut on this line

Hem allowance 3



Cut on this line

Cut on this line




unfetteredpatterns.com

Model #UP1023

Sizes XXS-XXL

**Armhole band**

Cut x2 fabric



Cut on this line



unfetteredpatterns.com

Model #UP1023

Sizes XXS-XXL

**Back neckband**

Cut x1 fabric

Cut this edge  
on the fold  
of the fabric



unfetteredpatterns.com

Model #UP1023

Sizes XXS-XXL

**Elastic length**


Cut x2 clear elastic (1 cm wide)




Cut on this line



Cut on this line



Cut on this line



SXX  
SX  
S  
N  
T  
TX  
XX

SIZE KEY

Cut on this line



SXX

SX

S

M

L

TX


XXL


SIZE KEY

Cut on this line

Cut on this line

104





Cut on this line

Cut on this line


Cut on this line

Cut this edge  
on the fold of the fabric




Cut this edge  
on the fold of the fabric

Cut on this line



Cut on this line



Cut on this line

Cut on this line

us . com


us  
p

Cut on this line

Patterns.com  
Model #UP1023  
Sizes XXS-XXL  
Front  
x1 fabric

tered patterns -  
tered

edge  
the fabric



unfetteredpattern  
Model #UP1023  
Sizes XXS-XXL  
Dos  
Cut x1 fabric

unfettered  
- unfettered patter

Cut on this line

unfete

-unfe


unfete redpa


Mod

Size



Cut

Cut on this line






Cut on this line




4 cm allowance



Cut on this line

He



3